



MimioView



DESCRIPTION

The MimioView™ document camera is expressly designed for interactive teaching. The system lets you capture and instantly share live video and images of dimensional objects and flat documents. MimioView technology integrates automatically with the MimioTeach™ interactive system and MimioStudio™ software, and is powered by a USB cable connected to your computer.

PACKAGE CONTENTS

2M Micron camera, microscope adapter, 2 adjustable LED light sources, flexible gooseneck, “micro-B” USB connector (3 m/10 ft), MimioStudio software.

SPECIFICATIONS

Operating Systems	Windows XP SP2, Vista, Windows 7	Footprint Dimensions	12.7 cm x 14 cm (5 in. x 5.5 in.)
PC	Windows compatible PC with Pentium II 750 MHz+ processor or equivalent. 512 MB RAM minimum (1 GB RAM recommended). 400 MB free disk space minimum. DVD ROM Drive. Available USB port.	Operating Temperature	16°C to 27°C (60°F to 80°F)
Software	MimioStudio 7 software	Storage Temperature	-20°C to 55°C (-4°F to 131°F)
Output Resolution	UXGA (1600 x 1200)	Focus	Automatic
Sensor Pixel	2M Micron	Color Balance	Automatic
Input/Output	USB 2.0 High Speed only	Video	Freeze and Annotation functions
Operation	Single USB cable	Video and Images	Save to Mimio Gallery
Zoom	5.5x mechanical zoom, 16x digital zoom	Content Alignment	Straight edge incorporated on base
Lighting	Adjustable LED lighting (x2)	Camera Adjustment	Flexible gooseneck for camera
Shooting Area	420 mm x 315 mm when height is 360 mm (16.5 in. x 12.4 in.)	Certification & Compliance	Safety & EMC: FCC (U.S.), IC (Canada), CE (Europe), GOST-R (Russia), VCCI (Japan), C-tick (Australia/New Zealand), KCC (Korea). Environmental: RoHS, WEEE.
Driver Interface	UVC	Warranty and Support	2 years, extended to 5 years on all hardware components with online registration. Unlimited lifetime on software.
User Input	4 Buttons: View, Auto Tune, Rotate, and Freeze		
Image Rotation	90 degree increments (CW/CCW)		
Macro	Microscope adapter		
Overall Weight	1.25 kg (2.8 lb)		